

Typ	Sechscheiben	Spatenscheiben	Zinken	Kreisel	Säschare	Säschare PPF	Striegel
Type	Discs	Spade discs	Tines	Rotors	Coulters	Coulters PPF	Harrows
Type	Disques	Disques a beche	Dents	Gyroscopes	Socs	Socs PPF	Herses
<b>Airseeder</b>							
CO3			12				13
CO 4			16				15
CO 6			24				48
CO 8			32				66
CO 9			36				72
CO 12			48				93
<b>Avatar</b>							
6.16 SD					18 / 18		
8.16 \$0					24 / 24		
12.20 SW					30 130		
12.25 so					24 / 24		
60 15 \$0					24 1 24		
<b>Express</b>							
3 TD	2 1	3			20		10
3,5TD	25	3			24		12
3 KR				10	20		10
3,5 KR				12	24		12
4 KR				14	28		14
<b>Focus</b>							
4 TD			14		14 (30cm)/ 28(15 cm) 4)		
6 TD			20		20 (30 cm)/ 40 (15 cm) 4)		
7 TD			24		24 (30 cm)/ 48 (15 cm) 4)		
6.35 TD			17		17 (35 cm) / 34 (17,5 cm)		
8.75 TD			15		15 (37,5 cm) / 30 (18,75 cm)		
8.90 TD			24		24 (30 cm) / 48 (15 cm)		
12.75 TD			23		23 (37.5 cm) / 46 (18,75 cm)		
4) Reihenabstände in Klammern; Row spacings in brackets; Interrang entre parentheses							
<b>Pronto</b>							
Promo 3 DC	22	2			20	10	10
Pronto 4 DC	30	2			28	14	14
Pronto 6 DC	46	2			40	20	20
Pronto 7 OC	58	2			52		26
Pronto 8 OC	62	2			52		26
Pronto 9 OC	70	2			60		30

Pronto 6 AS	46	2			40	20	20
Pronto 6 KR				20	40 (15 cm) 4) 48 (12.5 cm) 4)		20(15 cm) 4) 24 (12,5 cm) 4)
Pronto 8 SW	62	2			52	26	26
Pronto 9 SW	70	2			60	30	30
Pronto 12 SW	94	2			80	40	40
Pronto 12 SW 3 m	94	2			80		40
Pronto IONT	52				52	26	26
Pronto 12 NT	60				60	30	30
Pronto 3 TD					20		10
Pronto 4 TD					28		14
Pronto 5 TO					32		16
Pronto 6 TD					40		
Pronto 8 TD					52		

4) Reihenabstände in Klammern; Row spacings in brackets; Interrang entre parentheses

Sprinter							
3 ST			12				20
4 ST			16				30
4 ST 5)			16				28 Art. 34217502:24 Art. 3 1245001:2 An. 31245101: 2
6 ST			24				42
6 ST 5)			24				42 Art 342 17502: 38 Art. 31245001: 2 Art. 31245101: 2
8 ST			25				26
8 SW			28				48
9 SW			30				51
12 SW			40				41
10 NT			40				
11 NT			36				
12 NT			49(25 cm) 4)				
			41 (30 cm) 4)				
			33 (37,5 cm) 4)				
15 NT			50(25 cm) 4)				
			60(30 cm) 4)				
18 NT M15			73 (25 cm) 4)				

			61(30 cm) 4)				
			49 (37.5 cm) 4)				
24 NT			80				
4) Reihenabstände in Klammern; Row spacings in brackets; Interrang entre parentheses							